


| Hole       | From (ft) | To (ft) | From (m) | To (m) | FA430<br>Au ppm<br>Au g/tonne | Cyanide<br>Solubility<br>Au ppm | Au g/tonne = Au gpt                  |  | Oxide<br>Sulfide | Percent (%)<br>1 hr Cyanide<br>Soluble Au |
|------------|-----------|---------|----------|--------|-------------------------------|---------------------------------|--------------------------------------|--|------------------|---|
|            |           |         |          |        |                               |                                 | <-0.005 ppm Au entered as 0.0025 ppm |  |                  |   |
|            |           |         |          |        |                               |                                 | Intercepts g/tonne                   |  |                  |   |
| Key19-05rc | 0         | 5       | 0.0      | 1.5    | 0.044                         |                                 |                                      |  |                  |   |
| Key19-05rc | 5         | 10      | 1.5      | 3.0    | 0.024                         |                                 |                                      |  |                  |   |
| Key19-05rc | 10        | 15      | 3.0      | 4.6    | 0.037                         |                                 |                                      |  |                  |   |
| Key19-05rc | 15        | 20      | 4.6      | 6.1    | 0.017                         |                                 |                                      |  |                  |   |
| Key19-05rc | 20        | 25      | 6.1      | 7.6    | 0.015                         |                                 |                                      |  |                  |   |
| Key19-05rc | 25        | 30      | 7.6      | 9.1    | 0.022                         |                                 |                                      |  |                  |   |
| Key19-05rc | 30        | 35      | 9.1      | 10.7   | 0.035                         |                                 |                                      |  |                  |   |
| Key19-05rc | 35        | 40      | 10.7     | 12.2   | 0.035                         |                                 |                                      |  |                  |   |
| Key19-05rc | 40        | 45      | 12.2     | 13.7   | 1.361                         | 0.830                           |                                      |  |                  | 61.0%                                     |
| Key19-05rc | 45        | 50      | 13.7     | 15.2   | 0.145                         | 0.100                           |                                      |  |                  | 69.0%                                     |
| Key19-05rc | 50        | 55      | 15.2     | 16.8   | 0.094                         | 0.070                           |                                      |  |                  | 74.5%                                     |
| Key19-05rc | 55        | 60      | 16.8     | 18.3   | 0.167                         | 0.100                           |                                      |  |                  | 59.9%                                     |
| Key19-05rc | 60        | 65      | 18.3     | 19.8   | 0.121                         | 0.080                           |                                      |  |                  | 66.1%                                     |
| Key19-05rc | 65        | 70      | 19.8     | 21.3   | 0.111                         | 0.070                           |                                      |  |                  | 63.1%                                     |
| Key19-05rc | 70        | 75      | 21.3     | 22.9   | 0.069                         |                                 |                                      |  |                  |   |
| Key19-05rc | 75        | 80      | 22.9     | 24.4   | 0.04                          |                                 |                                      |  |                  |   |
| Key19-05rc | 80        | 85      | 24.4     | 25.9   | 0.091                         |                                 |                                      |  |                  |   |
| Key19-05rc | 85        | 90      | 25.9     | 27.4   | 0.044                         |                                 |                                      |  |                  |   |
| Key19-05rc | 90        | 95      | 27.4     | 29.0   | 0.039                         |                                 |                                      |  |                  |   |
| Key19-05rc | 95        | 100     | 29.0     | 30.5   | 0.029                         |                                 |                                      |  |                  |   |
| Key19-05rc | 100       | 105     | 30.5     | 32.0   | 0.056                         |                                 |                                      |  |                  |   |
| Key19-05rc | 105       | 110     | 32.0     | 33.5   | 0.057                         |                                 |                                      |  |                  |   |
| Key19-05rc | 110       | 115     | 33.5     | 35.1   | 0.047                         |                                 |                                      |  |                  |   |
| Key19-05rc | 115       | 120     | 35.1     | 36.6   | 0.049                         |                                 |                                      |  |                  |   |
| Key19-05rc | 120       | 125     | 36.6     | 38.1   | 0.392                         | 0.310                           |                                      |  |                  | 79.1%                                     |
| Key19-05rc | 125       | 130     | 38.1     | 39.6   | 0.233                         | 0.150                           |                                      |  |                  | 64.4%                                     |
| Key19-05rc | 130       | 135     | 39.6     | 41.1   | 0.205                         | 0.170                           |                                      |  |                  | 82.9%                                     |
| Key19-05rc | 135       | 140     | 41.1     | 42.7   | 0.336                         | 0.260                           |                                      |  |                  | 77.4%                                     |
| Key19-05rc | 140       | 145     | 42.7     | 44.2   | 0.137                         | 0.100                           |                                      |  |                  | 73.0%                                     |
| Key19-05rc | 145       | 150     | 44.2     | 45.7   | 0.242                         | 0.220                           |                                      |  |                  | 90.9%                                     |
| Key19-05rc | 150       | 155     | 45.7     | 47.2   | 0.267                         | 0.210                           |                                      |  |                  | 78.7%                                     |
| Key19-05rc | 155       | 160     | 47.2     | 48.8   | 0.325                         | 0.270                           |                                      |  |                  | 83.1%                                     |
| Key19-05rc | 160       | 165     | 48.8     | 50.3   | 0.194                         | 0.120                           |                                      |  |                  | 61.9%                                     |
| Key19-05rc | 165       | 170     | 50.3     | 51.8   | 0.967                         | 0.590                           |                                      |  |                  | 61.0%                                     |
| Key19-05rc | 170       | 175     | 51.8     | 53.3   | 0.339                         | 0.180                           |                                      |  |                  | 53.1%                                     |
| Key19-05rc | 175       | 180     | 53.3     | 54.9   | 0.119                         | 0.090                           |                                      |  |                  | 75.6%                                     |
| Key19-05rc | 180       | 185     | 54.9     | 56.4   | 0.135                         | 0.090                           |                                      |  |                  | 66.7%                                     |
| Key19-05rc | 185       | 190     | 56.4     | 57.9   | 0.127                         | 0.100                           |                                      |  |                  | 78.7%                                     |
| Key19-05rc | 190       | 195     | 57.9     | 59.4   | 0.211                         | 0.160                           |                                      |  |                  | 75.8%                                     |
| Key19-05rc | 195       | 200     | 59.4     | 61.0   | 0.318                         | 0.220                           |                                      |  |                  | 69.2%                                     |
| Key19-05rc | 200       | 205     | 61.0     | 62.5   | 0.505                         | 0.170                           |                                      |  |                  | 33.7%                                     |
| Key19-05rc | 205       | 210     | 62.5     | 64.0   | 0.157                         | 0.140                           |                                      |  |                  | 89.2%                                     |
| Key19-05rc | 210       | 215     | 64.0     | 65.5   | 0.082                         | 0.040                           |                                      |  |                  | 48.8%                                     |
| Key19-05rc | 215       | 220     | 65.5     | 67.1   | 0.161                         | <0.03                           |                                      |  |                  |   |
| Key19-05rc | 220       | 225     | 67.1     | 68.6   | 0.04                          |                                 |                                      |  |                  |   |
| Key19-05rc | 225       | 230     | 68.6     | 70.1   | 0.015                         |                                 |                                      |  |                  |   |
| Key19-05rc | 230       | 235     | 70.1     | 71.6   | 0.017                         |                                 |                                      |  |                  |   |
| Key19-05rc | 235       | 240     | 71.6     | 73.2   | 0.021                         |                                 |                                      |  |                  |   |
| Key19-05rc | 240       | 245     | 73.2     | 74.7   | 0.024                         |                                 |                                      |  |                  |   |
| Key19-05rc | 245       | 250     | 74.7     | 76.2   | 0.038                         |                                 |                                      |  |                  |   |
| Key19-05rc | 250       | 255     | 76.2     | 77.7   | 0.225                         |                                 |                                      |  |                  |   |
| Key19-05rc | 255       | 260     | 77.7     | 79.2   | 0.163                         |                                 |                                      |  |                  |   |
| Key19-05rc | 260       | 265     | 79.2     | 80.8   | 0.078                         |                                 |                                      |  |                  |   |
| Key19-05rc | 265       | 270     | 80.8     | 82.3   | 0.066                         |                                 |                                      |  |                  |   |
| Key19-05rc | 270       | 275     | 82.3     | 83.8   | 0.037                         |                                 |                                      |  |                  |   |
| Key19-05rc | 275       | 280     | 83.8     | 85.3   | 0.026                         |                                 |                                      |  |                  |   |
| Key19-05rc | 280       | 285     | 85.3     | 86.9   | 0.025                         |                                 |                                      |  |                  |   |
| Key19-05rc | 285       | 290     | 86.9     | 88.4   | 0.023                         |                                 |                                      |  |                  |   |
| Key19-05rc | 290       | 295     | 88.4     | 89.9   | 0.012                         |                                 |                                      |  |                  |   |
| Key19-05rc | 295       | 300     | 89.9     | 91.4   | 0.011                         |                                 |                                      |  |                  |   |
| Key19-05rc | 300       | 305     | 91.4     | 93.0   | 0.015                         |                                 |                                      |  |                  |   |
| Key19-05rc | 305       | 310     | 93.0     | 94.5   | 0.02                          |                                 |                                      |  |                  |   |
| Key19-05rc | 310       | 315     | 94.5     | 96.0   | 0.052                         |                                 |                                      |  |                  |   |
| Key19-05rc | 315       | 320     | 96.0     | 97.5   | 0.038                         |                                 |                                      |  |                  |   |
| Key19-05rc | 320       | 325     | 97.5     | 99.1   | 0.038                         |                                 |                                      |  |                  |   |
| Key19-05rc | 325       | 330     | 99.1     | 100.6  | 0.032                         |                                 |                                      |  |                  |   |
| Key19-05rc | 330       | 335     | 100.6    | 102.1  | 0.011                         |                                 |                                      |  |                  |   |
| Key19-05rc | 335       | 340     | 102.1    | 103.6  | 0.024                         |                                 |                                      |  |                  |   |
| Key19-05rc | 340       | 345     | 103.6    | 105.2  | 0.038                         |                                 |                                      |  |                  |   |
| Key19-05rc | 345       | 350     | 105.2    | 106.7  | 0.071                         |                                 |                                      |  |                  |   |
| Key19-05rc | 350       | 355     | 106.7    | 108.2  | 0.076                         |                                 |                                      |  |                  |   |
| Key19-05rc | 355       | 360     | 108.2    | 109.7  | 0.027                         |                                 |                                      |  |                  |   |
| Key19-05rc | 360       | 365     | 109.7    | 111.3  | 0.008                         |                                 |                                      |  |                  |   |

|            |     |     |       |       |        |       |  |  |       |
|------------|-----|-----|-------|-------|--------|-------|--|--|-------|
| Key19-05re | 365 | 370 | 111.3 | 112.8 | 0.008  |       |  |  |       |
| Key19-05re | 370 | 375 | 112.8 | 114.3 | 0.02   |       |  |  |       |
| Key19-05re | 375 | 380 | 114.3 | 115.8 | 0.02   |       |  |  |       |
| Key19-05re | 380 | 385 | 115.8 | 117.3 | 0.017  |       |  |  |       |
| Key19-05re | 385 | 390 | 117.3 | 118.9 | 0.027  |       |  |  |       |
| Key19-05re | 390 | 395 | 118.9 | 120.4 | 0.073  |       |  |  |       |
| Key19-05re | 395 | 400 | 120.4 | 121.9 | 0.069  |       |  |  |       |
| Key19-05re | 400 | 405 | 121.9 | 123.4 | 0.043  |       |  |  |       |
| Key19-05re | 405 | 410 | 123.4 | 125.0 | 0.025  |       |  |  |       |
| Key19-05re | 410 | 415 | 125.0 | 126.5 | 0.025  |       |  |  |       |
| Key19-05re | 415 | 420 | 126.5 | 128.0 | 0.026  |       |  |  |       |
| Key19-05re | 420 | 425 | 128.0 | 129.5 | 0.018  |       |  |  |       |
| Key19-05re | 425 | 430 | 129.5 | 131.1 | 0.019  |       |  |  |       |
| Key19-05re | 430 | 435 | 131.1 | 132.6 | 0.014  |       |  |  |       |
| Key19-05re | 435 | 440 | 132.6 | 134.1 | 0.024  |       |  |  |       |
| Key19-05re | 440 | 445 | 134.1 | 135.6 | 0.017  |       |  |  |       |
| Key19-05re | 445 | 450 | 135.6 | 137.2 | 0.021  |       |  |  |       |
| Key19-05re | 450 | 455 | 137.2 | 138.7 | 0.022  |       |  |  |       |
| Key19-05re | 455 | 460 | 138.7 | 140.2 | 0.022  |       |  |  |       |
| Key19-05re | 460 | 465 | 140.2 | 141.7 | 0.019  |       |  |  |       |
| Key19-05re | 465 | 470 | 141.7 | 143.3 | 0.015  |       |  |  |       |
| Key19-05re | 470 | 475 | 143.3 | 144.8 | 0.014  |       |  |  |       |
| Key19-05re | 475 | 480 | 144.8 | 146.3 | 0.027  |       |  |  |       |
| Key19-05re | 480 | 485 | 146.3 | 147.8 | 0.025  |       |  |  |       |
| Key19-05re | 485 | 490 | 147.8 | 149.4 | 0.028  |       |  |  |       |
| Key19-05re | 490 | 495 | 149.4 | 150.9 | 0.047  |       |  |  |       |
| Key19-05re | 495 | 500 | 150.9 | 152.4 | 0.176  | 0.130 |  |  | 73.9% |
| Key19-05re | 500 | 505 | 152.4 | 153.9 | 0.176  | 0.140 |  |  | 79.5% |
| Key19-05re | 505 | 510 | 153.9 | 155.4 | 0.061  | <0.03 |  |  |       |
| Key19-05re | 510 | 515 | 155.4 | 157.0 | 0.172  | 0.110 |  |  | 64.0% |
| Key19-05re | 515 | 520 | 157.0 | 158.5 | 0.174  | 0.090 |  |  | 51.7% |
| Key19-05re | 520 | 525 | 158.5 | 160.0 | 0.265  | 0.190 |  |  | 71.7% |
| Key19-05re | 525 | 530 | 160.0 | 161.5 | 0.27   | 0.190 |  |  | 70.4% |
| Key19-05re | 530 | 535 | 161.5 | 163.1 | 0.201  | 0.100 |  |  | 49.8% |
| Key19-05re | 535 | 540 | 163.1 | 164.6 | 0.139  | 0.080 |  |  | 57.6% |
| Key19-05re | 540 | 545 | 164.6 | 166.1 | 0.208  | 0.130 |  |  | 62.5% |
| Key19-05re | 545 | 550 | 166.1 | 167.6 | 0.185  | 0.080 |  |  | 43.2% |
| Key19-05re | 550 | 555 | 167.6 | 169.2 | 0.098  |       |  |  |       |
| Key19-05re | 555 | 560 | 169.2 | 170.7 | 0.053  |       |  |  |       |
| Key19-05re | 560 | 565 | 170.7 | 172.2 | 0.097  |       |  |  |       |
| Key19-05re | 565 | 570 | 172.2 | 173.7 | 0.316  | 0.100 |  |  | 31.6% |
| Key19-05re | 570 | 575 | 173.7 | 175.3 | 0.131  | 0.080 |  |  | 61.1% |
| Key19-05re | 575 | 580 | 175.3 | 176.8 | 0.11   | 0.080 |  |  | 72.7% |
| Key19-05re | 580 | 585 | 176.8 | 178.3 | 0.064  |       |  |  |       |
| Key19-05re | 585 | 590 | 178.3 | 179.8 | 0.087  |       |  |  |       |
| Key19-05re | 590 | 595 | 179.8 | 181.4 | 0.042  |       |  |  |       |
| Key19-05re | 595 | 600 | 181.4 | 182.9 | 0.031  |       |  |  |       |
| Key19-05re | 600 | 605 | 182.9 | 184.4 | 0.103  | 0.040 |  |  | 38.8% |
| Key19-05re | 605 | 610 | 184.4 | 185.9 | 0.076  | 0.050 |  |  | 65.8% |
| Key19-05re | 610 | 615 | 185.9 | 187.5 | 0.247  | 0.110 |  |  | 44.5% |
| Key19-05re | 615 | 620 | 187.5 | 189.0 | 0.363  | 0.210 |  |  | 57.9% |
| Key19-05re | 620 | 625 | 189.0 | 190.5 | 0.887  | 0.620 |  |  | 69.9% |
| Key19-05re | 625 | 630 | 190.5 | 192.0 | 1.177  | 0.940 |  |  | 79.9% |
| Key19-05re | 630 | 635 | 192.0 | 193.5 | 1.213  | 0.960 |  |  | 79.1% |
| Key19-05re | 635 | 640 | 193.5 | 195.1 | 0.541  | 0.400 |  |  | 73.9% |
| Key19-05re | 640 | 645 | 195.1 | 196.6 | 0.61   | 0.330 |  |  | 54.1% |
| Key19-05re | 645 | 650 | 196.6 | 198.1 | 0.302  | 0.270 |  |  | 89.4% |
| Key19-05re | 650 | 655 | 198.1 | 199.6 | 0.553  | 0.410 |  |  | 74.1% |
| Key19-05re | 655 | 660 | 199.6 | 201.2 | 0.2    | 0.150 |  |  | 75.0% |
| Key19-05re | 660 | 665 | 201.2 | 202.7 | 0.225  | 0.160 |  |  | 71.1% |
| Key19-05re | 665 | 670 | 202.7 | 204.2 | 0.099  | <0.03 |  |  |       |
| Key19-05re | 670 | 675 | 204.2 | 205.7 | 0.088  | 0.060 |  |  | 68.2% |
| Key19-05re | 675 | 680 | 205.7 | 207.3 | 0.135  | 0.110 |  |  | 81.5% |
| Key19-05re | 680 | 685 | 207.3 | 208.8 | 0.121  | 0.100 |  |  | 82.6% |
| Key19-05re | 685 | 690 | 208.8 | 210.3 | 0.039  |       |  |  |       |
| Key19-05re | 690 | 695 | 210.3 | 211.8 | 0.028  |       |  |  |       |
| Key19-05re | 695 | 700 | 211.8 | 213.4 | 0.014  |       |  |  |       |
| Key19-05re | 700 | 705 | 213.4 | 214.9 | 0.02   |       |  |  |       |
| Key19-05re | 705 | 710 | 214.9 | 216.4 | 0.0025 |       |  |  |       |
| Key19-05re | 710 | 715 | 216.4 | 217.9 | 0.0025 |       |  |  |       |
| Key19-05re | 715 | 720 | 217.9 | 219.5 | 0.0025 |       |  |  |       |
| Key19-05re | 720 | 725 | 219.5 | 221.0 | 0.013  |       |  |  |       |
| Key19-05re | 725 | 730 | 221.0 | 222.5 | 0.011  |       |  |  |       |
| Key19-05re | 730 | 735 | 222.5 | 224.0 | 0.773  | 0.600 |  |  | 77.6% |
| Key19-05re | 735 | 740 | 224.0 | 225.6 | 0.178  | 0.120 |  |  | 67.4% |
| Key19-05re | 740 | 745 | 225.6 | 227.1 | 0.109  | 0.100 |  |  | 91.7% |
| Key19-05re | 745 | 750 | 227.1 | 228.6 | 0.0025 |       |  |  |       |
| Key19-05re | 750 | 755 | 228.6 | 230.1 | 0.0025 |       |  |  |       |



|            |      |      |       |       |        |
|------------|------|------|-------|-------|--------|
| Key19-05rc | 755  | 760  | 230.1 | 231.6 | 0.0025 |
| Key19-05rc | 760  | 765  | 231.6 | 233.2 | 0.0025 |
| Key19-05rc | 765  | 770  | 233.2 | 234.7 | 0.061  |
| Key19-05rc | 770  | 775  | 234.7 | 236.2 | 0.0025 |
| Key19-05rc | 775  | 780  | 236.2 | 237.7 | 0.0025 |
| Key19-05rc | 780  | 785  | 237.7 | 239.3 | 0.0025 |
| Key19-05rc | 785  | 790  | 239.3 | 240.8 | 0.0025 |
| Key19-05rc | 790  | 795  | 240.8 | 242.3 | 0.0025 |
| Key19-05rc | 795  | 800  | 242.3 | 243.8 | 0.0025 |
| Key19-05rc | 800  | 805  | 243.8 | 245.4 | 0.0025 |
| Key19-05rc | 805  | 810  | 245.4 | 246.9 | 0.0025 |
| Key19-05rc | 810  | 815  | 246.9 | 248.4 | 0.0025 |
| Key19-05rc | 815  | 820  | 248.4 | 249.9 | 0.0025 |
| Key19-05rc | 820  | 825  | 249.9 | 251.5 | 0.0025 |
| Key19-05rc | 825  | 830  | 251.5 | 253.0 | 0.0025 |
| Key19-05rc | 830  | 835  | 253.0 | 254.5 | 0.0025 |
| Key19-05rc | 835  | 840  | 254.5 | 256.0 | 0.024  |
| Key19-05rc | 840  | 845  | 256.0 | 257.6 | 0.0025 |
| Key19-05rc | 845  | 850  | 257.6 | 259.1 | 0.021  |
| Key19-05rc | 850  | 855  | 259.1 | 260.6 | 0.011  |
| Key19-05rc | 855  | 860  | 260.6 | 262.1 | 0.022  |
| Key19-05rc | 860  | 865  | 262.1 | 263.7 | 0.016  |
| Key19-05rc | 865  | 870  | 263.7 | 265.2 | 0.008  |
| Key19-05rc | 870  | 875  | 265.2 | 266.7 | 0.029  |
| Key19-05rc | 875  | 880  | 266.7 | 268.2 | 0.016  |
| Key19-05rc | 880  | 885  | 268.2 | 269.7 | 0.043  |
| Key19-05rc | 885  | 890  | 269.7 | 271.3 | 0.0025 |
| Key19-05rc | 890  | 895  | 271.3 | 272.8 | 0.021  |
| Key19-05rc | 895  | 900  | 272.8 | 274.3 | 0.009  |
| Key19-05rc | 900  | 905  | 274.3 | 275.8 | 0.007  |
| Key19-05rc | 905  | 910  | 275.8 | 277.4 | 0.029  |
| Key19-05rc | 910  | 915  | 277.4 | 278.9 | 0.006  |
| Key19-05rc | 915  | 920  | 278.9 | 280.4 | 0.007  |
| Key19-05rc | 920  | 925  | 280.4 | 281.9 | 0.01   |
| Key19-05rc | 925  | 930  | 281.9 | 283.5 | 0.009  |
| Key19-05rc | 930  | 935  | 283.5 | 285.0 | 0.008  |
| Key19-05rc | 935  | 940  | 285.0 | 286.5 | 0.016  |
| Key19-05rc | 940  | 945  | 286.5 | 288.0 | 0.013  |
| Key19-05rc | 945  | 950  | 288.0 | 289.6 | 0.016  |
| Key19-05rc | 950  | 955  | 289.6 | 291.1 | 0.018  |
| Key19-05rc | 955  | 960  | 291.1 | 292.6 | 0.016  |
| Key19-05rc | 960  | 965  | 292.6 | 294.1 | 0.026  |
| Key19-05rc | 965  | 970  | 294.1 | 295.7 | 0.015  |
| Key19-05rc | 970  | 975  | 295.7 | 297.2 | 0.02   |
| Key19-05rc | 975  | 980  | 297.2 | 298.7 | 0.184  |
| Key19-05rc | 980  | 985  | 298.7 | 300.2 | 0.018  |
| Key19-05rc | 985  | 990  | 300.2 | 301.8 | 0.021  |
| Key19-05rc | 990  | 995  | 301.8 | 303.3 | 0.013  |
| Key19-05rc | 995  | 1000 | 303.3 | 304.8 | 0.011  |
| Key19-05rc | 1000 | 1005 | 304.8 | 306.3 | 0.052  |
| Key19-05rc | 1005 | 1010 | 306.3 | 307.8 | 0.048  |
| Key19-05rc | 1010 | 1015 | 307.8 | 309.4 | 0.022  |
| Key19-05rc | 1015 | 1020 | 309.4 | 310.9 | 0.017  |
| Key19-05rc | 1020 | 1025 | 310.9 | 312.4 | 0.009  |
| Key19-05rc | 1025 | 1030 | 312.4 | 313.9 | 0.057  |
| Key19-05rc | 1030 | 1035 | 313.9 | 315.5 | 0.035  |
| Key19-05rc | 1035 | 1040 | 315.5 | 317.0 | 0.033  |
| Key19-05rc | 1040 | 1045 | 317.0 | 318.5 | 0.009  |
| Key19-05rc | 1045 | 1050 | 318.5 | 320.0 | 0.026  |
| Key19-05rc | 1050 | 1055 | 320.0 | 321.6 | 0.034  |
| Key19-05rc | 1055 | 1060 | 321.6 | 323.1 | 0.022  |
| Key19-05rc | 1060 | 1065 | 323.1 | 324.6 | 0.006  |
| Key19-05rc | 1065 | 1070 | 324.6 | 326.1 | 0.016  |
| Key19-05rc | 1070 | 1075 | 326.1 | 327.7 | 0.024  |
| Key19-05rc | 1075 | 1080 | 327.7 | 329.2 | 0.029  |
| Key19-05rc | 1080 | 1085 | 329.2 | 330.7 | 0.0025 |
| Key19-05rc | 1085 | 1090 | 330.7 | 332.2 | 0.048  |
| Key19-05rc | 1090 | 1095 | 332.2 | 333.8 | 0.78   |
| Key19-05rc | 1095 | 1100 | 333.8 | 335.3 | 0.008  |
| Key19-05rc | 1100 | 1105 | 335.3 | 336.8 | 0.033  |
| Key19-05rc | 1105 | 1110 | 336.8 | 338.3 | 0.038  |
| Key19-05rc | 1110 | 1115 | 338.3 | 339.9 | 0.014  |
| Key19-05rc | 1115 | 1120 | 339.9 | 341.4 | 0.0025 |
| Key19-05rc | 1120 | 1125 | 341.4 | 342.9 | 0.028  |
| Key19-05rc | 1125 | 1130 | 342.9 | 344.4 | 0.01   |
| Key19-05rc | 1130 | 1135 | 344.4 | 345.9 | 0.006  |



|            |      |      |       |       |        |
|------------|------|------|-------|-------|--------|
| Key19-05re | 1135 | 1140 | 345.9 | 347.5 | 0.012  |
| Key19-05re | 1140 | 1145 | 347.5 | 349.0 | 0.019  |
| Key19-05re | 1145 | 1150 | 349.0 | 350.5 | 0.016  |
| Key19-05re | 1150 | 1155 | 350.5 | 352.0 | 0.033  |
| Key19-05re | 1155 | 1160 | 352.0 | 353.6 | 0.029  |
| Key19-05re | 1160 | 1165 | 353.6 | 355.1 | 0.068  |
| Key19-05re | 1165 | 1170 | 355.1 | 356.6 | 0.112  |
| Key19-05re | 1170 | 1175 | 356.6 | 358.1 | 0.053  |
| Key19-05re | 1175 | 1180 | 358.1 | 359.7 | 0.016  |
| Key19-05re | 1180 | 1185 | 359.7 | 361.2 | 0.011  |
| Key19-05re | 1185 | 1190 | 361.2 | 362.7 | 0.035  |
| Key19-05re | 1190 | 1195 | 362.7 | 364.2 | 0.0025 |
| Key19-05re | 1195 | 1200 | 364.2 | 365.8 | 0.014  |
| Key19-05re | 1200 | 1205 | 365.8 | 367.3 | 0.347  |
| Key19-05re | 1205 | 1210 | 367.3 | 368.8 | 0.011  |
| Key19-05re | 1210 | 1215 | 368.8 | 370.3 | 0.016  |
| Key19-05re | 1215 | 1220 | 370.3 | 371.9 | 0.113  |
| Key19-05re | 1220 | 1225 | 371.9 | 373.4 | 0.186  |
| Key19-05re | 1225 | 1230 | 373.4 | 374.9 | 0.037  |
| Key19-05re | 1230 | 1235 | 374.9 | 376.4 | 0.03   |
| Key19-05re | 1235 | 1240 | 376.4 | 378.0 | 0.025  |
| Key19-05re | 1240 | 1245 | 378.0 | 379.5 | 0.034  |
| Key19-05re | 1245 | 1250 | 379.5 | 381.0 | 0.016  |
| Key19-05re | 1250 | 1255 | 381.0 | 382.5 | 0.017  |
| Key19-05re | 1255 | 1260 | 382.5 | 384.0 | 0.02   |
| Key19-05re | 1260 | 1265 | 384.0 | 385.6 | 0.138  |
| Key19-05re | 1265 | 1270 | 385.6 | 387.1 | 0.013  |
| Key19-05re | 1270 | 1275 | 387.1 | 388.6 | 0.042  |
| Key19-05re | 1275 | 1280 | 388.6 | 390.1 | 0.023  |
| Key19-05re | 1280 | 1285 | 390.1 | 391.7 | 0.045  |
| Key19-05re | 1285 | 1290 | 391.7 | 393.2 | 0.03   |
| Key19-05re | 1290 | 1295 | 393.2 | 394.7 | 0.037  |
| Key19-05re | 1295 | 1300 | 394.7 | 396.2 | 0.011  |
| Key19-05re | 1300 | 1305 | 396.2 | 397.8 | 0.018  |
| Key19-05re | 1305 | 1310 | 397.8 | 399.3 | 0.048  |
| Key19-05re | 1310 | 1315 | 399.3 | 400.8 | 0.012  |
| Key19-05re | 1315 | 1320 | 400.8 | 402.3 | 0.006  |
| Key19-05re | 1320 | 1325 | 402.3 | 403.9 | 0.007  |
| Key19-05re | 1325 | 1330 | 403.9 | 405.4 | 0.015  |
| Key19-05re | 1330 | 1335 | 405.4 | 406.9 | 0.059  |
| Key19-05re | 1335 | 1340 | 406.9 | 408.4 | 0.007  |
| Key19-05re | 1340 | 1345 | 408.4 | 410.0 | 0.019  |
| Key19-05re | 1345 | 1350 | 410.0 | 411.5 | 0.007  |
| Key19-05re | 1350 | 1355 | 411.5 | 413.0 | 0.009  |
| Key19-05re | 1355 | 1360 | 413.0 | 414.5 | 0.0025 |
| Key19-05re | 1360 | 1365 | 414.5 | 416.1 | 0.188  |
| Key19-05re | 1365 | 1370 | 416.1 | 417.6 | 0.008  |
| Key19-05re | 1370 | 1375 | 417.6 | 419.1 | 0.007  |
| Key19-05re | 1375 | 1380 | 419.1 | 420.6 | 0.0025 |
| Key19-05re | 1380 | 1385 | 420.6 | 422.1 | 0.013  |
| Key19-05re | 1385 | 1390 | 422.1 | 423.7 | 0.0025 |
| Key19-05re | 1390 | 1395 | 423.7 | 425.2 | 0.0025 |
| Key19-05re | 1395 | 1400 | 425.2 | 426.7 | 0.0025 |
| Key19-05re | 1400 | 1405 | 426.7 | 428.2 | 0.006  |
| Key19-05re | 1405 | 1410 | 428.2 | 429.8 | 0.007  |
| Key19-05re | 1410 | 1415 | 429.8 | 431.3 | 0.008  |
| Key19-05re | 1415 | 1420 | 431.3 | 432.8 | 0.0025 |
| Key19-05re | 1420 | 1425 | 432.8 | 434.3 | 0.0025 |
| Key19-05re | 1425 | 1430 | 434.3 | 435.9 | 0.0025 |
| Key19-05re | 1430 | 1435 | 435.9 | 437.4 | 0.0025 |
| Key19-05re | 1435 | 1440 | 437.4 | 438.9 | 0.0025 |
| Key19-05re | 1440 | 1445 | 438.9 | 440.4 | 0.011  |
| Key19-05re | 1445 | 1450 | 440.4 | 442.0 | 0.0025 |
| Key19-05re | 1450 | 1455 | 442.0 | 443.5 | 0.0025 |
| Key19-05re | 1455 | 1460 | 443.5 | 445.0 | 0.0025 |
| Key19-05re | 1460 | 1465 | 445.0 | 446.5 | 0.0025 |
| Key19-05re | 1465 | 1470 | 446.5 | 448.1 | 0.0025 |
| Key19-05re | 1470 | 1475 | 448.1 | 449.6 | 0.0025 |
| Key19-05re | 1475 | 1480 | 449.6 | 451.1 | 0.0025 |
| Key19-05re | 1480 | 1485 | 451.1 | 452.6 | 0.0025 |
| Key19-05re | 1485 | 1490 | 452.6 | 454.2 | 0.008  |
| Key19-05re | 1490 | 1495 | 454.2 | 455.7 | 0.0025 |
| Key19-05re | 1495 | 1500 | 455.7 | 457.2 | 0.007  |

